

Arvada Location 8030 Lee Drive • Arvada, CO 80005 T 303.421.6873 F 303.421.9922

Broomfield Location 3830 W. 121st Place • Broomfield, CO 80020 T 303.410.8041 F 303.410.8044

## **GENERAL IMMUNIZATION SCHEDULE**

(May be slightly different depending on child's individual needs and immunization status)

Updated 6/9/22

| AGE:         | RECOMMENDED IMMUNIZATIONS:   |
|--------------|--|
| Hospital:    | Нер В  |
| 1 month:     | None   |
| 2 months:    | Hep B, Pentacel (DTaP, IPV, Hib), PCV13, Rotavirus,  |
| 4 months:    | Pentacel (DTaP, IPV, Hib), PCV13, Rotavirus  |
| 6 months:    | Hep B, Pentacel (DTaP, IPV, Hib), PCV13, Rotavirus   |
| 9 months:    | None   |
| 12 months:   | Hep A, MMR, PCV13  |
| 15 months:   | Pentacel (DTaP, IPV, Hib), Varicella   |
| 18 months:   | Нер А  |
| 2 years:     | None   |
| 4-6 years:   | MMR-V, DTaP, IPV, COVID-19   |
| 11-12 years: | Tdap, HPV9, MCV4 (see below)   |
| 16 years:    | MCV4   |
| Additional:  | Flu vaccination is recommended each Fall for all persons 6 mos of age or older                                       |
|              | COVID-19 vaccine second shot and boosters as required  |
|              | <b>Men B vaccine</b> at 17-18 years if going to college or armed services, two doses separated by a minimum 6 months |

## ABBREVIATION CODES AND OTHER NOTES:

| COVID-19:        | Pfizer vaccine 2 doses separated by 21 days, and booster dose 5 months after second dose ages 5 and up                             |
|------------------|--|
| DTaP:            | Child Diptheria, Tetanus, and Pertussis (whooping cough)   |
| Hep A and Hep B: | Hepatitis A and Hepatitis B  |
| Hib:             | Haemophilus influenza type B   |
| HPV9:            | Human Papilloma Virus. Two-dose series (0,6-12 months) for ages 9y-14ys. A three-dose series (0,1-2, 6 months) for 15y+            |
| IPV:             | Polio  |
| PCV13:           | Pneumococcal 13-valent (Prevnar 13)  |
| Pentacel:        | Diptheria, Tetanus, Pertussis, Polio and Haemophilus Influenza type B  |
| Rotavirus:       | An oral vaccine  |
| MCV4:            | Neisseria meningitis (Menactra for meningitis) at age 11 and 16  |
| Men B:           | Group B Meningococcus vaccine at 17-18 years if going to college or armed services: two doses sepa-<br>rated by a minimum 6 months |
| MMR:             | Measles, Mumps, Rubella  |
| MMR-V:           | Measles, Mumps, Rubella, Varicella (Chickenpox)  |
| Tdap:            | adult Tetanus and Pertussis  |
| Varicella:       | Chickenpox vaccine   |